



Township / Range Lines:

South line of Townships 25N to 31N in Range 14E

East line of Range 14E in Townships 24N to 31N




Indiana Historical Land Survey Documents project - LW & CJH, 2021

Surveyed: 3/1820

269 John (16.)

R^s 14. 15^{on} (I)

Comp.



V 5.50'

North Between R 148/52
2400 Section 33830

2330 Ash 24 hrs

4000 Lit 1/2 Section post
from Columbia Hickory
20 hrs S 53 E 104 Buck
13 hrs S 50 W 15 Cuck

5400 Hickory 18 hrs

8000 Branch & 2 m 8 Lit
post for corner Section
25030 2400 R 142
from which a Hickory
12 S 70 W 00 & Buck
12 N 52 E 34 Cuck

Over level cut
Cand Timber Buck Oak
Hickory &c

North Between R 148/52
2400 Section 25830

1548 Ash 16 hrs

3900 Buck 60 hrs N W

4000 Lit 1/2 Section post from
which an Ash 13 S 54 W
114 Oak 32 N 31 E 18 Cuck

2
3000 ft port corner of
sections 24 & 25
24 & 25 from which
a brown 8 hrs S & 2 E
21 & Sugar 13 hrs S
50 E 17 links
3 over as before

North B. 16 & 15
2 & 24 sections 19 & 24
19 62 Ash 12 hrs

4000 ft 1/2 section port
from which a section
13 S 6 E 21 1/4 & Ash 24
16 E 25 links

5125 W Oak 24 hrs

8000 ft port corner of
sections 13 & 24 & 14
2 & 24 from which
an Oak 18 hrs S 7 W 45
8 E 12 hrs S 7 W
28 links

3 over as before

North Between R 140.3
S 24 N 130 18

2115 Oak 30 lbs

40 00 L¹/₂ Section port
from which above

12 S 1 E 100 do 14

N 8 W 34 line

38.10 Ash 18 lbs

80 00 L¹/₂ port corner of section

12 S 13 S 24 N 214 E

from which above

14 S 32 W 248 do

8 lbs N 32 E 16 cwt

3 over as before

North Between 140 18 E

S 24 N Section 70 12

23.50 Beech 12 lbs

40 00 L¹/₂ Section port
from which above

14 lbs S 35 W 90 Sugar

13 S 25 E 41 cwt

56.55 Oak 18 lbs

5000 ft port corner of
Succors 18 1/2 240
R 14 E from which
Buck 12 S 35 W 38
Sugar 8 S 35 E 17
Four level dry
land tunnel
Sugar Oak &c

North. Bedouin 18 1/2 15
21 240 S 18 E
6 50 Brook 10 10 lbs E
20 30 Sugar 12 lbs
40 00 ft of a section port
from which a Buck
14 lbs S 11 E 28 & 40
14 lbs S 30 W 40
66 75 Hickory 20 lbs
71 00 Brook 10 10 lbs S W
80 00 ft port corner of
240 250 140 152
Section 41. 33. 636
from which a sugar
10 S 4 W 9 lbs &
Hickory 12 S 54 W
12 lbs
Bouvier before
March 2 1820

Set post on the State
line on 1st of June on
for corner of T24R25N
R15 Sec 1 & 3 from
which a Pickney 10 bu
S23W 14 bu & 20 13 bu
N 60 E 24 bu 14

Next bearing of T24R25N
R15 Section 1 & 30

4000 hds of section for from
which an Oak 20 S33W
20 bu & Buck 10 bu 825
S13

4800 hds 150 S/W
5300 same S/W

7000 brock 10 bu S

8000 Set for corner of Sec
1 & 30 T25R15S from

where a Buck 8 bu S

40 brock 10 bu 20 12

15 E 24 bu

Found good farming
land. Timber here
is Ash & under
lime

Net Between 24 & 250
R 15 Sections 2 & 35

4000 ft section post
from which an Oak
14 in N 58 W 7 cks &
Boulder 7 in S 38 E
5750 Beech 14 in

8000 ft post corner Section
34 & 35 25 ft R 15 from
which an Oak 12 in N 73
W 25 cks & 20 in S
48 E 20 cks

Even as before


Net Between 20 & 250
R 15 Sections 30 & 34

2750 Road N 6
400 ft section post
from which a Beech
18 in bears East 60

Oak 6 in West 30 cks
6800 Beech 250 ft N

800 ft post corner 7.
Sections 23034
250 ft R 152 from
which Ash 12 W 82
W 10 Lumber & Beech 6
S 60 & 8 Lumber
over as before

Nett Between 24025
R 152 Sect. 4033
1550 Creek 250 Lumber W
2800 Same SW
4000 ft 1/2 Section post
from which affix
9 W 82 W 10 Lumber
B Oak 6 W 82 W
10 Lumber
7500 Town corner



West Between 24825
NR 14 E 8 1836 on
line

10 00 brook 7 thick
21 30 Hickory 18 ins
40 00 1/2 section port
from which a Hickory
12 ins 8352 108 do
18 N 5 W 16 links

80 00 Set port corner of
sections 35 & 36 25
NR 14 E from which
Oak 8 8852 158 do
68 N 8 W 16 links
Over level land
Timber Oak Oak
Hickory Birch &c

West Between 24825 &
NR 14 E sections 2 & 3 on
line

16 20 near 20 ins
25 00 ~~same~~ 750 lbs NW
36 00 same NW
40 00 Set 1/2 section port from
which a Ironwood 18 ins
41 W 16 N Hickory 130
68 E 29 links
58 90 same 18 links

May 1 00 Wabash R. 150 M N

80.00 ^A at port corner of
sections 34 & 35 of
N 14 E in the creek
no bearing trees

Go over as before

West B. living 25.2 ft
N 14 E 34 & 34 on

17.00 ^{the end} leave the Wabash R. N W

40.00 set 1/2 section point
from which a line
12.5 41 E 31.5 North
16.7 8 E 20 links

56.30 B Oak 36 M

80.00 at port corner of
sections 33 & 34 of N
N 14 E from which an
line 22.7 65 E 42.5
as 18.5 50 N 14 links

Go over cut land
Timber Oak 1/2
Glen. Pine &c

Nest Between 24825
or 24849 Sections 4833

790 ^{on a tree} Birch 14 hrs

4000 Lt 1/2 Section port
from where a Willow
12 835 M 8 & do 10
N 15 M 33 links

5970 Birch 12 hrs

8000 Lt port corner of
Sections 328 338 25
N 14 2 from where
a M. Oak 14 hrs Port
8 Chis. Hickory 11 hrs
N 85 M 30 links
3 over as before

Nest Between 24825 or
N 14 Sections 3832 on

1825 ^{on a tree} Hickory 12 hrs

3800 Birch 70 hrs

4000 Lt 1/2 Section port from
where a Sugar 12 hrs
76 2 30 hrs by Ironwood
3 hrs N 14 2 4 hrs by

5420 Maple 10 hrs

12
3006 To port corner section
31 & 32 To S N 1/4 E
from which an Elm
12 hrs S 2 W 16 ft
ash 12 hrs N 2 E 20 ft
3 over wet swampy
land firmer than
Maple ash Birch &c

With Between S 24 8 25 ft
N 14 E sections 30 & 31
an elm

40 00 To 1/2 section port
from which a maple
12 hrs S 80 E 30 ft

30.81. Intersect the 2nd line
between N 13 8 1/4 E at
the corner of S 24 8 25 ft
sections 1. 8. 31. 30

3 over swampy
land firmer ash
Maple &c

North Between R 148/152¹³
T 25 N Section 33 & 30

2600 Brook 10 lbs & 2

4000 lit 1/2 Section 30

from which a Buckeye

12 N 80 W 8 & Hornbeam

4 S 28 E 7 links

4100 ~~Wabash R.~~

2000 lit 1/2 N 148

5520 Oak 20 lbs

7600 Brook 15 lbs

8000 lit 1/2 corner of Sect

25 & 30 T 25 N R 148

from which a hickory

14 lbs S 67 E 4 links &

14 N 35 W 31 links

3000 good farming

land timber Buckeye

hickory under pines

North Between R 148/152

T 25 N & Boundary Sect 25

720 Oak 12 lbs

4000 lit 1/2 Section 30 from

which a hickory 14 S 32

84 W 13 N 32 W 8 links

4770 hazel 14 lbs

14
5000 Set post corner of Section
24 & 25 T 25 N R 14 E from
which a Beech 13 hrs
21 links & 00 8 hrs 50 M
23 links
Cover as before

North Bellevue R 14 & 15 E T 25 N
the East boundary Sect. 24

31-70 Beech 13 hrs

40 00 Set $\frac{1}{2}$ Section post from
which Beech 15 hrs & 49 E
11 links & 00 12 hrs 50 M 31

5631 Beech 14 hrs

8000 Set post corner of Sect.

13 & 24 T 25 N R 14 E
from which a Hickory
14 hrs & 37 M 20 links &
Oak 40 hrs & 5 M 24

Cover level with
Oak & Beech land

James A. McDonald

North Between R 14 & 15
T 25 along the East corner

dry of section 13

1464 Hickory 12 hrs

40.00 Sec 1/2 section port from

which a Beech 12 hrs

8842 27 links & Hickory

+ this 822 15 links

5230 Beech 15 hrs

80.00 Sec port corner of section

12 & 13 T 25 & R 14 & 15 from

which a Hickory 14 hrs

11824 16 & Ash 16 hrs

824 16 links

3000 as before

North Between R 14 & 15
T 25 along the East

corner of section 12

40.00 Sec 1/2 section port from

which a Ash 10 hrs

15 links & Beech 72 hrs

8842 19 links

5772 Beech 10 hrs

88 00

let post corner of
section 18 12 24 N
R 14 E from which
Beech 13 hrs S 18 E 23
links & sugar 8 hrs N 52
W 23 links
3 over as before

North Between R 14 10 E
S 25 along the right
boundary of section 1
~~between R 14 10 E~~

5 51

28 50

40 00

Oak 36 hrs

let post corner of
which a 1/2 Oak 9 hrs
S 40 E 16 links & do 12 hrs
N 16 W 21 links

44.00

Brook N W

80.00

let post corner of
25 20 R 14 15 E S
sections 136.4 233 from
which a Willow 5 hrs
S 61 W 25 links & Cherry
9 hrs N 17 W 434 links
3 over swampy place
March 4th 1820

West Between 225 & 26 N R 14
E Sections 1 & 35

22.50 W Oak 24 In
40.00 Set 1/4 section post from
which Iron wood 9 S 75 W
37 links and Beech 18 S
83 E 59 links

54.20 W Oak 12 In
80.00 Set post for corner of section
35 & 36 S 26 E R 14 E from
which Beech 15 S 57 E
13 links and Sugar 12 E
78 W 28 links
Level land rich soil timber
Beech Sugar Oak etc

West Between 225 & 26 N R
14 E S 2 E 35

36.66 W Oak 18 In
40.00 Set 1/4 section post from
which Iron wood 6 S 40 E
19 links 4 E 33 W 11 links

80.00 Set post for corner of
Sections 34 & 35 S 2 E R
14 E from which Beech
14 In S 78 E 11 links
and 40 12 E 47 W 16 links
Low wet land. Timber
oak and maple

18

West Between T 25 & 26
at R 14 E S 3 & 34

6.66 Hickory 15

40.00 Set 1/4 section post in
link from which a
W. Side of S 80 W Corners.

52.70 Hickory 18 1/2 in

80.00 Set post for corner of
sections 33 & 34 T 26 N
R 14 E from which a Elm
18 S 47 E and Hickory 12
at 47 W3 load land Sugar Pine
Sugar Walnut &c.West Between T 25 & 26 at
R 14 E Sec 4 & 33

15.50 a Brook 10 at E

17.70 Hickory 12 1/2 in

40.00 Set 1/4 section post from
which Sugar 20 at 50 E
10 links and Beech 14 at 10 W
22 links

65.68 Ash 18 1/2 in

80.00 Set post for corner of Sec
32 & 33 T 26 N R 14 E from
which Iron wood 8
E 21 links and Hickory 12
at 25 links
lands as above

West Between S 25 & 26¹⁹
N. R. 11. E. Sec 5. & 32

14.20 Beech 15 ft

40.00 Set 1/2 section post
from which Hickory
4 S 40 W 11 links & Beech
18 S 20 E 25 links

63.30 Elm 12 ft

80.00 Set post for corner of Sec
31 & 32 & 26 S R. 14 E from
which W. Oak 12 S 53 W
19 links and Beech 12
S 16 E 29 links

As above 1820

West Between S 25 & 26 S
R. 14 E Sec 6 & 31

7.66 Elm 12 ft

40.00 Set 1/2 section post from
which a B. Oak 24 S 72
E 4 links and Hickory 12
S 21 W 25 links

81.50 Intersect at line between
R. 13 & 14 E 82 links south
of temporary post

Set post for corner of
S 25 & 26 S R. 13 & 14
Sections 10, 31, 32

20

V 50 55

Set post on State line or
1st T. Allen's line for

corner of Sec 1 & 2 & 4

R 15 E Sec 1 & 36 from

which a beech 15 S 69 E

23 1/2 to 6 1/2 89 NW 1/4

West Between 25 & 26

R 15 E Sec 1 & 36

40.00 Set 1/2 sec post from

which a beech 15 S

71 E 18 1/4 to 12 S 11 W

6 links

80.00 Set post corner of Sec

35 & 36 of R 15 E

from which a beech

16 S 25 W 2 links and

to 1a N 30 E 16 links

level land Timber Beech

Oak Hickory etc

West

Between 29 & 30 R

15 E Sec 2 & 35

beech 30 S W

brook 10 links

29.50

39.50

40.00

Set 1/2 sec post from which

hard wood beech 7 E 4 links

and beech 25 S 30 W 24

links

Sec 10 Northington's correction

21

80.00 Set post corner of sec
34 & 35 & 25 & 26
from which a beech
15 S & 1 E 18 links and
Sugar 18 & 38 W 19 links
Land as above

West between 25 & 26
N R 15 E sections
3 & 34

11.00 A Brook 15 links & E

40.00 Set in section post from
which a line 18 & 79 W
28 links and to 15 & 34 W
20 links

60.00 A Road

60.00 Set post for corner of
Sec 33 & 34 & 25 & 26
15 E from which a
B. line 6 & 5 S & 7 E
and to 6 & 15 E 20 links
As above

nr
West Between 2a5 & 2b
at R 15 Co sections
4 & 33

40.00 Set 1/2 section post
from which a Hill
12 S 32 E 10 miles
and 2a 15 at 14 E
15 miles

75.00 Intersect of V. J. & line
Between R 14 & 15 Co at
corner of 2a5 & 2b at 14.4
33 & 36

North Between Rs. 14 & 15-C
 206 N 234 30

2000 Enclosed Swampy
 L & W

4000 L^o/₂ Section post no bearing
 trees

6000 close swampy

80.00 Set post corner of
 Sec 25 & 36 & 26 N
 R 14 E from which
 Hickory 12 N 52 W
 & B Oak 18 S 66 E 27 links
 Low wet swampy land
 Timber ash and maple

North Between R 14 & 15 E
 206 N Sec 25 & 28

36.68 Hickory 9 In

40.00 Set 1/2 sec post from
 which a Walnut 9.5.
 51 W 24 links and Iron wood
 9 N 51 E 19 links

24

60.00

Set post for corner of
 Sec 24 & 25 T 26 N
 R 14 E from which
 Hickory 19 ch 57 E
 19 links and Ironwood
 5 ch 55 W 26 links
 level land Timber
 Oak Hickory &c

North Between R 14 & 15
 E T 26 N Sections #72

424

4.60

ast 18 ch

34.50

A creek 50 E

40.00

Set up section post
 from which a Beech
 15 ch 40 W 15 links
 and Iron wood 4 ch 30 E
 19 links

12.55

B Oak 9 ch

80.00

Set post corner of Sec
 13 & 24 T 26 N R 14 E
 from which a Beech
 24 ch 50 W 10 links and 20
 24 ch 70 E 34 links
 Land as above

North Between R 14 & 15²⁵
C. J. 26 & Sections
13 & 18

14.00 Blum 30 June

40.00 Set up section post
from which a B Oak
24 S 67 E 14 links &
do 12 S 57 W 26 links

66.22 Beet 12 June

80.00 Set post corner of
Sections 12 & 13 S. 26
N R 14 E from
which a ash 12 June
S. 6. E 16 links and
do 15 S 36 W 19 links
and as above

North Between R 14 & 15
C. J. 26 & S 9 & 12

25.18 Hickory 12 June

40.00 Set up section post from
which Hickory 15 S 44 E
13 links and Beet 14
S 5 W 29 links

26

52.72 B. Oak 30 pm

60.00 Set post corner of Sec

18 N T 26 N R 14 E

from which a Elm 12

N 5.8 W 20 links and

Hickory 4 S 22 E 16

links

63 Level Land Timber as above

North Between R 14 & 15 E

T 26 N S 18 4

25.94 Elm 18 pm

40.00 Set up section post

from which a B Oak

12 N 7.5 E 15 links and

Ash 2.5 W 13 links and

58.85 B Oak 12 pm

80.00 set post corner of T 26

T 27 N R 14 E 15 E 16

1.4 33 & 36 from which a

Elm 18 pm N 64 E 15

links and Beech 12 N

4.3 W 32 links

As above

West Between T 26 & 27 N
R 14 E Sections 18 36

11.17 Elm 12 in

40.00 Set up section post from
which a Beech 12 & 11 E
20 links and 20 ex 38
E 27 links

50.00 a Brook 10 links North
Beech 18 in

67.50 a Brook 10 links ex E

80.00 Set post corner of
Sec 35 & 36 & 27 & R
14 E from which a W
Oak 8 ex 43 E 9 links &
Elm 13 & 15 a W 20 links
low wet land timber
Beech Oak Elm & C.

West Between T 26 & 27 N
R 14 E S 2 & 35

13.8 Beech 15 in

40.00 Set up section post
from which a Elm
20 in & 68 E 15 links
and a maple 8 & 51 W
16 links

28

55.90

Beech 15 in

80.00

Set post corner of
Sec 34 & 35 & 7 & R 14
E from which a Plat
15 in & 58 E 10 links
and Lynn 80 & 8 NW
23 links and a above

Mist

Between 26 & 27

R 14 & 34 & 4 & 4

8.50

Clear 15 in

40.00

Set in the post from
which a Beech 15 in
289 & 17 links and do
24 & 73 W 28 links

46.84

B Oak 18 in

80.00

Set post corner of
Sections 33 & 34 & 7 & 8
R 14 E from which
a Beech 15 & 71 E 10 links
and 90 10 21 W 20 links

E 3

links as above

West Between 26 & 27 ²⁹
R 14 Sec 44 & 33
2000 Swampy or 68
4000 Section post in Swampy
no bearing trees

8000 Set post corner office
32 & 33 & 27 & R 14 Sec
from which will run
6 & 76 NW 64 links
Swampy tan

West Between 26 & 27 &
R 14 Sec 5 & 32
2800 Brook 10 S W
4000 Set up Sec post from
which a cotton wood
19 S 1 Q 1.54 links

~~8200 Lawn corner~~

8000 Set post corner of
Section 31 & 32 & 27 &
R 14 from which a
ash 8 NW 16 NW 16 links
& Birch 18 S 75 E 22 links
as before

30th Met between 2662
or R 14 & Section 6631

40th Met $\frac{1}{2}$ Section post
from which a Oak
10 hrs at 39 R 44 links
Oak 24 hrs 855 M
22 links

8050 Locum Corner

3 over Rich
land

West ^{V5051} Between Or 64 and 31
Set post on state line
on 15th Meridian for corner
of T 26 & 27. N. R. 15 E. Sec
18 26 from which a Beech
9 or 86 W 19 links and from
west 4 or 12 E 3 links

West
Between T 284 2 p 15
C Dec 14 96

1826
9086
was 4
Native
C. de.
a Bro
which
N. 18
O. 18
C. 15
Beech
4 M. O.

6.1.00. 25 posts corners of
sections 35 & 36 of 27th
R. 15 E from which a
Beech 12 at 31 W 15 N
4 W Oak 10 at 7 E 33 Cuts
ash and timber Beech
Sugar walnut Oak &c

Wist between 2nd & 7th R
Dec 2 1838

4.50 a duck 75 lbs. at 6¢
40.00 set of section post from
which a Beech 24 eggs
25 lbs of 20 10¢ 60¢
21 lbs

30.00

Set post corner of Section
 34 & 35 & 27 & R 15 & from
 which a Ash & N 72 W
 22 links & Iron wood 60
 63 & 34 links
 As above

West

Between D 26 & 27 & N
 R 15 & Sec 34 & 35

40.00

Set post corner from
 which a Elm 15 S. 1 W
 8 links and 2024
 & 53 W 24 links

80.00

Set post corner of Section
 33 & 34 & 27 & N R 15 & E
 from which a Ash 10 & N
 86 W 41 links and Beech
 24 & 35 & 33 links



Low flat land Timber
 As above

West Between 8th & 14th
 N 15 E Sec 4 & 33
 31.50 Road ---
 40.00 Set of section post
 from which a Bear
 in 1894 & 6 links and so
 82.00 4089 W 35 links
 Town corner

34

x 50 15

North

Between R 14 & 15
E of 27th Sec 33 & 36

24.8

a Beech 12 In

40.00

Set up section post
from which a Beech
8 N 22 W 2 links & 7
30 S 9 E 38 links

61.93

Beech 12 In

80.00

Set post corner of Sec
25 & 36 of 27th R 14
E from which a Beech
12 S 18 W 2 links and
20.15 N 4 E 45 linksLevel land Timber
Beech Oak Hickory &c

North

Between R 14 & 15
E of 27th Sec 28 & 33

14.00

W Oak 36 In

40.00

Set up Sec post from
which a Iron wood 11
S 72 E 8 links & 70 S
N 1 W 18 links

47.00 a Brook 15 ft & 35
68.50 Sparrow 30 ft
68.00 Set post corner of Sec.
24 & 25 727 ft N 148
from which a Beech 12
ft 12 W 30 links &
7.15 ft 77 W 30 links
as above

North Between N 14 & 15 &
727 ft Sec 21 & 24

3312 Beech 14 links

4000 Set 1/2 section from
which an Ash 6 ft 50 ft
24 links & 400 ft 62 W
22 links

5390 W Oak 18 links

8000 Set post corner of section
13 & 24 727 ft N 148 from
which a Hickory 12 links
532 W 27 links Beech
14 links 17 W 47 links

Lower level land
Timber Oak Beech
Hickory &c

36
North between R 14 & 15 E
S 27 N along the East
boundary Sect. 13

1800 Brook 6 lks N E

2300 Road N W

4000 Set 1/2 section pole from

which a Bush 6 lks

S 4 E 23 N 1/4 Brownwood

4 lks N 80 W 6 lks

5000 Creek 50 lks N W

5810 Bush 18 lks

8000 Set post corner of section

92 & 13 S 27 N R 14 E

from which a Bush 13

S 82 W 12 lks N 1/4 Bush

18 lks N 55 E 6 lks

Same as before

North between R 14 & 15 E

S 27 N along the E

boundary section 12

1580 Intersect. St Marys N

W 1/4 post from which

ash 10 N 33 W 8 lks

S 72 W 8 lks N 78 E 32

1800 ³⁷ Set post on the N. bank
from which a Spruce
S 47° W 18' E Iron wood
10 ft 62' E 26 links

4000 Set 1/2 Section post from
which a Birch 18
ft 31' W 7 links N. Hickory
13 ft 8' S 80' E 3 links

8000 Set post corner of section
1412 E 29° N 14' E from
which a Dogwood 8 ft
N 47° W 26 links N
Oak 8 ft S 18° E 17 links

Over Oak &
Hickory land under
growth Hazel &c

North between R 144152
29 ft Section 108

4000 Set 1/2 Section post
from which a Hickory
14 ft N 28° W 23 links
Iron wood 4 ft S 2° E 9 links

³⁸
\$000 to port corner of
279980 R 148 1/2
lot 101 ~~424~~ ³³ 35
from which a W
Creek 13 mi or 53 L 13
lunhs & Ironwood 7
mi & 44 L ~~33~~
26 lunhs

Over as before
check 10th 1820

James H Mc Donald

7555

39

West Between 27828 &
R 14 & Section 1835

4000 Section 1/2 Section post
from which a Oak
10867 N 18 & 130465
213 links

8000 Set post corner of Section
35836 & 28 N 14 &
from which a Sugar
N 77 N 238 Birch 14
170 N 14 links
Over Oak Birch
& Hickory

West Between 27828 & R 14
& Section 2835

4000 Set 1/2 Section post from
which a Birch 14877 N
18 & 14848 & 14 links

8000 Set post corner of Section
34635 & 28 N 14 & from
Hornum 48372 116 links
116 N 13 links

40 West 34

8.32 Intersect River &
Set post from which
an Ash 12 hr 9 M 6 00
S 16 W 18 links

10.75 Set post on the West
Bank from which an
elm 13 hr 10 M 9 00
S 10 E 9 links

West Between 2 & 338
N R 14 E Set 8 & 34

40.00 Set 1/2 section post
from which a
W Oak 30 hr 8 32
23 links & Hickory 18
hr 7 6 M 31 links

57.10 W Oak 18 hr

80.00 Set post corner of
Section 338 34 & 28
N R 16 E from which
a W Oak 16 hr 38 E 22
& Ash 12 hr N 68 W
16 links
Favor level land
Furnish Oak Buckle

West Between 27828⁴¹
N 14 E Section 4933

2350 Brook 10 lbs N

3290 Oak 50 lbs

4000 Set 1/2 Section port

from which a Oak

18 lbs S 69 E 20 lbs

~~20 lbs S 69 E 20 lbs~~

but at 83 N 18 lbs

7200 Creek 50 lbs N

8000 Set port corner of

Section 32833 28

N 14 E from which

a Mulberry 8 lbs S

57 E 2 lbs 90 N Oak

6 lbs S 65 W 10 lbs

to divide before

West Between 27828

N 14 E Section 5832

600 Creek 40 lbs S

1150 Same N 2

3340 Oak 24 lbs

4000 Set 1/2 Section port from

a Oak 16 S 66 E 39 lbs

900 14 S 82 N 16 lbs

29 20 1/2 cannon 30 hrs
8000 Report corner of section
31 & 32 S 28 N 14 E from
which Birch 12 hrs S 1/4
2900 Oak 13 hrs
347 W 6 hrs

~~over~~ over as before

West B. in S 28 N 14 E
2900 1/2 section 31 & 32
1600 W Oak 20 hrs
4000 S 1/2 section port from
which a Birch 12 hrs S.
812 32 hrs & Hickory
8 hrs S 66 W 14 hrs
5175 Birch 12 hrs
8080 Town corner

~~over~~ over as before

(Faint handwritten notes, possibly bleed-through from the reverse side)

5000 Let short corner of section
35034 22 E N 15 S from
where an Elm 12 hrs S 12
N 24 E 14 S 10 hrs N
61 E 26 hrs

Town corner

West between 27 E 28 S
N 15 E Section 39 34

4000 Let for section from
where an Oak 8 hrs S 55
N 23 E 14 hrs Oak 14 hrs
N 23 E 14 hrs

5500 Road at W

6100 Brook 10 hrs S W

8000 Let short corner of section
33034 28 N 15 E from
where a Sugar 12 N 82 E
148 Oak 8 S 59 W 11

Town corner

West between 28 S 27 E
N 15 E Section 48 33

4000 Let for section from
where an Oak 10 hrs N 43
E 22 E 14 hrs Oak 8 hrs S 70 E
20 hrs

8400 Town corner

North Beltinger R 14815 E
T 28 Section 33030

2790 W Oak 13 hrs

4000 Set for section post from
which at Oak 16 hrs
S 14 W 18 Oak & Hickory
10 hrs 12 E 18 ends

8000 Set post end of section
25030 T 28 W 14 E from
which at Oak 13 hrs 18 W
15 timber & Ironwood 8 hrs
S 64 E 23 ends
Over Oak Hickory
land under hay field

North Beltinger R 14815 E
T 28 Section 28030

2970 Birch 10 hrs

4000 Set for section post
from which at Oak
9 hrs 20 E 21 ends
4009 hrs 28 W 18 hrs

4880 W Oak 24 hrs

7500 Road N W

46
8000 Let post corner of lot.

24 & 25 & 28 & 14

E from which a sugar

10 hrs N 32 W 14 links

4 hrs N 14 hrs N 82 E

33 links

Cover as before

North Between R 14 & 15 E

T 38 N Section 21 & 24

2000 yds 20 hrs

4000 Let 1/2 Section post from

which an Oak 8 hrs S 15

E 16 links & Oak 10 hrs

N 14 E 15 links

8000 Let post corner of section

13 & 24 T 28 N R 14 E from

which an Oak 14 hrs S 12 E

34 links & Hickory 12 hrs

N 7 E 21 links

Cover as before

47

North Between R 14613 L
T 2807 Section 16013

10.12 Oak 15 hrs

4000 ft $\frac{1}{2}$ Section port
from where a Lycaon
24 hrs S 19 L 1 hr 8
Oak 10 hrs S 17 W 27
L 4

46.72 Beech 14 hrs

5000 ft port coming section

12513 T 2807 R 14 E

from where a Elm 13

S 6.2 21 hrs S 40 20 hrs

S 63 W 11 hrs

3000 ft before

North Between R 14615 E

T 2807 Section 9512

2x25 Oak 22 hrs

4000 ft $\frac{1}{2}$ Section port

where a 10 hrs S 25 E

43 cm S 50 12 hrs S 66

W 18 hrs

5500 ft Cherry 18 hrs

80.00 Lot post corner of sections
(48) 10 12 F 280 N 14 E from
which an Elm 40 hrs S 77
E 11 links & Maple 10 hrs
at 85 N 13 links
3 over good farming
land timber Beech Lye
Hickory Oak etc

North between R 14 & 15 E
T 28 N sections 480

1275 Oak 28 hrs

4000 Lot 1/2 section post
from which an Elm
13 hrs S 23 N 21 links
& Lye 15 hrs S 46 E 27

80.00 Lot post corner of F 28
0 29 & R 14 & 15 E sections
1.4.33.38 from which
a Beech 14 hrs S 38 E
13 links & Hickory 13 hrs
S 6 N 23 links
3 over as before

V 5° 40'

49

West Between S 28 29
N 14 E Section 1836

W Oak 24 hrs

4000 Set 1/4 Section post

from which a
Hickory 12 hrs N 78 E

12 links & bog wood 6 hrs

S 50 W 26 links

8000 Set post corner of

Section 33 & 30

29 c Hr 14 E from which

Run 24 hrs S 29 W 8 hrs

& Sycamore 36 c 19 E

22 links

Good rich land

Timber Birch Oak &c

West Buttezen S 28 29 c Hr
14 E Section 2835

4000 Set 1/2 Section post

from which a Run

12 N 79 E 20 links &c

Cotton wood 36 S 79 W

6 links

50
80 00 Set post for corner
of Sections 34 & 35
S 29 T R 14 E from
an Oak 10 N 67 W 9
V 10 S 73 E 8 links
as before

110 00 Between S 28 & 29
N R 14 E Sections 35 & 36
40 00 Set 1/2 Section post
from which a paper
10 S 55 E 10 links S 10
12 N 78 W 8 links

80 00 Set post corner
of Sections 33 & 34
S 29 T R 14 E from
which an Oak 4
N 17 E 2 links &
Elm 8 S 77 W 2
links
as before

West Between T28829³¹
& T146 Sections 4833

40.00 Set $\frac{1}{2}$ Section post
from which Sagon
24 N 13 E 14 links &
do 24 S 20 E 9 links

80.00 Set post corner of
Section 32833 T290
R 14 E from which a
Beech 24 S 20 W 16 links
& Elm 12 S 10 W 23 links
as before

West Between T28829 &
T146 Sections 5832

40.00 Set $\frac{1}{2}$ Section post
from which W Oak
24 S 84 W 34 links
& ash 10 S 17 E 19 links

80.00 Set post corner of
31832 T290 R 14 E
from W Oak 24 S
27 W 26 links & Iron
wood 8 N 15 W 10 links
Cover as before

52
West Bottom 28829
at N 14 E Section 5631
4000 Set 1/2 Section for
from which a
Sugar 18 lbs
70 64 links & from
wood 8 & 11 8 links
8500 Town corner

James M. Gerald

Report on the 53
1st schedule for
some of T28827
on 15 E sections
1836 from which a cut
13 ft 22 ft 40 ft
East 10 links

West between T28829
15 E sections 1836

4000 ft 1/2 section port
from which a Buck
10 ft 13 E 36 links
Sugar 7 ft 15 E W
10 links

8000 ft port corner
section 35430 T2912
15 E section from
which a Buck 10 ft
44 ft 13 E links & Sugar
9 ft 17 ft 32 links
3 over cut Buck
Oak Hickory cane

See Right Side - Corrected

324

West Between 28829

R 15 E Section 2835

4000 Lts 1/2 Section post

from which

Sugar 10 lbs at 40 E

blends 46 lbs \$20

W blends

8000 Lts post corner of

Section 34835

291 R 15 E from

which Hickory

8 lbs at 72 E / 1/2 unit

4000 lbs \$19 W blends

For record before

West Between 2882901

R 15 E Section 3834

4000 Lts 1/2 Section post

from which

Lbs 18 \$71 E 41

Lbs 12 lbs W

82 W 39 lbs

8000 Report corner ³³
Section 33 & 34
29th R 152 from
where Elm 12
Mud 864 217 lms, &
Sycamore 40 lms & 12
25 lms
E. corner before

West Betsey 288 290
R 152 Section 4833

4000 ft 1/2 section post
from which Hickory
16 lms 57 52 11 lms
60 lms 7 lms 19 14 7 lms

7984 Town corner
March 10th 1820

56

North Between R 148 182

29th Section 33838

1480 Oak 18 hrs

4000 $\frac{1}{2}$ Section port from

which a Beech 14 hrs
S 7 W 16 hrs 4 do 12 hrs
do 24 hrs

5170 W Oak 22 hrs

8000 $\frac{1}{2}$ port corner of Section

25338 29th R 182
from which a Beech
12 hrs S 4 W 15 hrs do
12 hrs N 82 E 21 hrs

Over Oak Beech &
Hickory land

North Between R 148 182

29th Section 28825

2650 Beech 14 hrs

4000 $\frac{1}{2}$ Section port from

which a Hickory 8 hrs 869
W 6 hrs Beech 7 hrs 232
9 hrs

5750 Brook 15 hrs N W

160 70 Oak 26 hrs

8000 ft post corner of
Sections 24 & 25 T29
N 14 E from which
Beech 12 hrs S 28 E 30
Timber & do 18 hrs N 81 W
7 miles

Corner as before

North between N 14 & 15 E
Sag Harbor 21 & 24

5.50 Brook 15 hrs N 14 E

2490 Beech 12 hrs

40.00 High Section post
from which a sugar
13 hrs S 30 W 6 miles
& do 14 hrs S 67 E 20 hrs

51.00 Oak 24 hrs

80.00 ft post corner of
Sections 13 & 24 T29
N 14 E from which an
elm 20 hrs S 30 W 6 hrs
& Hickory 16 hrs N 11 E
36 miles

Corner as before

North Between R 148/58
L 298 Section 13 & 15

2375 Elm 20 hrs

4000 L 1/2 Section port
from which a 3 in
16 hrs S 20 W 7 cm 14
4 hrs 12 hrs 16 hrs
17 cm 14

5580 Birch 13 hrs

8000 1st port come off
L 298 R 14. L from which
a 3 in 8 hrs 15 hrs
13 hrs 10 hrs 7 hrs 14 L
14 hrs

3 over as before

North Between R 148/58
L 298 Section 9 & 12

3575 L 14 hrs

4000 1st 1/2 Section port from
which a 3 in 14 hrs N
8 L 14 hrs S 18 hrs N
80 W 33 cm 14

4985 Elm 14 hrs

8000⁶⁰ Set post corner of Sec.
18/28 29 of R 14 E
from which an Ash
11 hrs S 21 W 19 links
& do 20 hrs S 21 E 29

Found as before

North between R 14 & 15 E
29 of R Section 18 4

29 60 Birch 14 hrs

40 00 Set of Section post
from which a Lye
20 hrs S 29 W 19 links
& Birch 14 hrs S 32 E
22 links

5320 Oak 30 hrs

8000 Set post corner of
29 of 30 of R 14 & 15 E
Section 1. 4. 33. 36

from which a Lye
10 hrs S 78 W 13 links
& Birch 12 hrs S 42 E
25 links

Found as before

W 5.55

Report on the 1st
 Menden for corner
 T 298 300 R 15 E Section
 1835 from which an
 Elm 20 hrs 42 E 7 links
 & as 10 hrs 8 1/8 W 30 links
 Net between T 298 300
 R 15 E Section 1836
 4000 ft 1/2 Section post from
 which an Oak 14 hrs 19 W
 10 links & as 16 hrs 47 W
 10 links
 8000 ft post corner of Section
 358 30 E 300 R 15 E
 from which an Oak
 14 hrs 18 E 16 links
 Oak 8 hrs 22 W 22 links
 faint interspersed with
 over with ground
 Timber Oak Elm all
 Net between T 298 300
 R 15 E Section 2835
 4000 ft 1/2 Section post
 from which an Elm
 30 hrs 16 E 19 links &
 as 13 hrs 48 W 24 links

Capt. Wiley
 Sec

8000 at port corner of
Section 34 & 35 T 30 N
R 15 E from which
an Oak 6 hrs 8 1/2 E 8
in 1/4 Sec 10 hrs
at 20 W 21 links
3 over as before

Net 0 Between T 29 & 30 N
R 15 E Section 35 34

2650 Creek 40 hrs or
40 00 Set 1/2 Section post
from which an Elm
8 hrs 5 1/2 E 33 & Oak
8 hrs at 19 E 24 links

80.00 Set post corner of
Section 33 T 30 N R
15 E from which a
Oak 13 hrs 8 W 19 links
4 Sec 12 hrs at 10
E 60 links

3 over as before

West Branch T⁶³ 29830
at 2152 feet. 4633

4000 L^t 1/2 Section port
from which an Oak
10 hrs at 72 & 5 links
8 Bush 10 hrs 820 W
20 links

7973 Town comes
over ash

James H. McConaughy

64.

5

V 140

64

Met Between 29830

R 142 Section 14 35

1275 Lym 12 hrs

4000 Set up section post
from which a sugar

14 hrs 55 L 43 hrs

8 hrs 16 hrs 34 hrs

51 50 Brook 10 hrs L

55 25 Hickory 18 hrs

8000 Set post corner of section

3536 S 300 R 142 post

which a Lym 14 hrs

842 36 hrs R 142 Hickory

18 hrs 19 hrs 24 hrs

3000 Set post corner of

Timber Brook Oak Ash

4000 Set post corner of

Met Between 29830

R 142 Section 26 35

40.00 Set up section post

from which a sugar

8 hrs 17 hrs 24 hrs

6 hrs 15 hrs 16 hrs

6850 Ash 24 hrs

60
80 00

at post corner of
Section 34 & 35 T30N
R. 14 E from which
Lyn 8 hrs S 36 E 13
creeks & Elm 10 hrs
45 W 15 cks
3 over as before

West between Tag 30
R. 14 E S 30 34

40 00 at 1/2 mile post
from which a Hickory
18 hrs S 65 E 19 cks &
Beech 14 hrs S 87 W 44

61.25 Cottonwood 20 hrs

80 00 at post corner of
Section 33 & 34 T30
R. 14 E from which
a Beech 12 hrs S 75 W
37 cks & Hickory
16 hrs S 84 W 38 cks
3 over as before

Wet

Between ⁸⁷ J

298 30 N R 142 S 483

3080 N Oak 38 hrs

40.00 lit for Section port
from which a N Oak

30 hrs S 34 E 11 hrs

0 Section 16 S 76 W
10 hrs

6740 Beech 16 hrs

80.00 Lit port corner of
Section 328337 3000

42 N 142 from which a
Oak 30 hrs S 48 E 18

and 1/2 bush 9 hrs

59 N 34 E 1/2

3 over as before

Wet Between J 298 300

R 142 Section 58 32

1612 Beech 14 hrs

40.00 Lit for Section port from
which a Beech 20 hrs

48 E 20 hrs 1/2
S 37 N 12 hrs

8800 Let from corner of
Section 21 N 32 E 35 on
R 14 2 from corner
Oak 18. 1st 7225
Cuts 18. 1st 18
1st 48 1st 18
Over as before

With Betting for 90 30
R 14 2 18 31

4000 Let from Section post
from which at 12
12 1st 25 1st 18
Oak 35 1st 20 1st
33 Cuts

8700 Town corner

Over as before

15.45

69

North Between 14 1/2

7300

3055 Lyr 20 hrs

4000 Lyr 1/2 Spore from

which Run 20 S

17 N 36 S Sugar

14 N 77 N 15 Lyr

8000 Lyr post comes

25536 J 200 M

48 from which a Lyr

armor 30 1/2 14

1/2 Hickory 14 hrs 40

N 31

North Between R 14 1/2

7300

4000 Lyr 1/2 Lyr post

from which at 1/2 hr

14 1/2 14 1/2 14 N 18 N

16 Lyr

70
5000 Let port corner
S 24 42 5 T 30 R
14 E Ash 8 N 33 E 18
Shak 24 S 1 E 14

North Between R 18 V 15
E T 30 R

4000 Let 1/2 S port from
which Ash 18 S 7 N
S 4 40 14 R 1 E 13

8000 Let port corner of
section 136 24 8 T 30
N R 14 E from which
a line 100 yds
28 N 9 E 14 S 8 E
20 20 41 E
28 41 15

North Between R 14 & 15

2795 Oak 30 ft

40 00 1st 1/2 Section pore

from which a tree

10 hrs 170 ft 4 links & 100

8 hrs 38 ft 7 links

45 00 Entered Swamp 28 ft

75 00 Dry land

80 00 1st pore corner of

Sections 12 & 13 30

R 14 & 15 from which

a tree 10 hrs 125 ft

5 links & 100 8 links

34 ft 13 links

Over Swampy
land

North Between R 14 & 15

2830 ft 12

40 00 1st 1/2 Section pore

from which a tree

4 hrs 135 ft 5 links &

13 hrs 37 ft

22 links

8000 Set post corner of
Section 14 1/2 T30N
R14E from which
an Ash 4 hrs S 11 E
19 cunks & Elm 16
hrs & 1/2 22 cunks
over as before

North Between R14 & 15
T30N S481

4000 Set 1/4 Section post
from which an Elm
13 hrs 33 E 26 cunks
& 16 hrs 83 W
18 cunks

8000 Set post corner of T30
S31 of R14 & 15 Section
14 33 36 from which
an Elm 22 hrs S 31 E
6 cunks & Hickory 13
hrs & 50 W 1/2 cunks
3000 as before

W 50° 30'
W 150 Between S 308 31st
R 14 & Section 1836

2100 Elm 12 hrs

40.00 Sit. p Section post
from which Lys
12 at 8 M 11 hrs, 4
ash 24 at 17 8 11 hrs

5867 Elm 24 hrs

80.00 Sit post corner of
Section 338 308 31st
R 14 & from which
an Elm 844 28 hrs
ash 8 hrs at 64 23 hrs
3 over cut swamp
land Timber as h
Elm 60

W 150 Between S 308 31st
R 14 & Section 308 31st

3130 Hickory 24 hrs

40.00 Sit. p Section post
from which Lys
10 at 8 2 15 hrs
20 10 53 21 hrs
59.50 Ash 12 hrs

74 80.00 Set post corner of
Section 34 & 35
31 N R 14 E from
which a Beech 12
m North 5 links &
E 24 m S 70 E
19 links
over as before

Mid between 30 & 31
N R 14 E Section 30 & 34

21 76 Hickory 12 m

40 00 Set post corner of
from which a
Walnut 40 m S
20 E 5 links & Iron
wood 8 m S 70 E 18 links

70.00 Branch 15 m S E

76.00 Ash 30 m

80.00 Set post corner 33 &

34 S 31 N R 14 E
from which a Sugar
24 m S E 13 links
E 12 m S 22 E 23
links

Net Between 31830
N R 14 E Section 433

30 00 Birch 12 hrs

40 00 Set 1/2 Section port
from which a Ash
24 hrs N 23 W 10 links
8 as 10 1502 30 links

57.25 Sug as 24 hrs

80.00 Set port corner of

Section 32833 31

N R 14 E from which
an Ash 21 S 21 W

22 links Birch

10 N 15 W 8 links

over as before

Net Between 32831

N R 14 E Section 5032

40 00 Set 1/2 Section port

from which a

Elm 12 N 57 E

13 links & Ash 10

38 W 11 links

76 80.00 Set post corner of
Section 31 & 32 of
31st R 14 E from
which an Ash 8th
at 3 N 4 links &
W Oak 12 S 67 E
21 links
as before

Next Between 31
30th R 14 E, Sect.
5 & 31
20 00 Intersect the
Moccasin River
Set post from
which W Oak 18
but N 17 links 11 links
shaper 10 S 41 E
17 links
March 6th 1820
[For remainder, see book C, page 55]

V 535

77

at port on the 1st

Demerican for
corner of T 30 8310

R 15 E Section 1836

from which an ash
8 hrs 511 W 5 L 14 9

4012 hrs 322 7 14

West Between 30 8310

R 15 E Section 1836

4000 40 1/2 Section Port

from which an ash

8 hrs 80 E 8 L 14 8 L 14

8 hrs 21 W 12 L 14

8000 at port corner of

Section 350 308

310 R 15 E from which

an Cottonwood 20

hrs 28 E 8 L 14 9

Ash 10 hrs 14 W

16 L 14

3 over Ash 14 L 14

Correction
Capt. Riley
See

⁷⁸
West Between 30831
at R 15 Section, 2835
4000 Set $\frac{1}{2}$ Section post
from which an Ash
18 hrs at 18 E links
4000 hrs at 18 W links
8000 Set post corner of
Section 34 & 35 of 31st
R 15 E from which
a tree 100 yds 70 E
21 links 4000 hrs at
18 W 7 links
3000 Set post corner

West Between 30831
at R 15 Section, 3834
4000 Set $\frac{1}{2}$ Section post
from which an Ash
8 hrs at 60 E 7 links 1/2
Oak 18 hrs at 28 W 4 links
8000 Set post corner of
Section 33 & 34 of

310 R 102 from
whitman Ash 5 hrs
S 202 Blue Oak
8 hrs 57 1/2 hrs
30 over as before

Wet Betw. 300 310
R 152 Section 4833

4000 ft 1/2 section from
from which as yet
more 8 hrs 56 1/2 hrs
4000 hrs 55 1/2 hrs

8478 Town corner

3 over as before

Larnes P. H. & Son

82

10

N 30° 30'

81

North Between R 148 152

T 31 N Section 33 & 30

40 00 Set 1/2 Section post
from which a ~~maple~~
18 hrs S 44 N 4 cm by
Oak 12 hrs S 65 E
13 cm by

7080 Hickory 14 by

8000 Set post corner of
Section 25 & 36 T
31 N R 14 E from
which a Oak 18 by
S 48 E 9 cm by & Oak
7 hrs S 21 N 20 cm by
3 overland swampy
land

North Between R 148 152

T 31 N Section 25

1574 Cottonwood 15 hrs

40 00 Set 1/2 Section post
from which a Spruce 7 hrs
S 5 N 20 cm by & do 7
hrs S 37 E 9 cm by
5905 Oak 24 hrs

50 00 At port corner of
Section 24 & 25
31 A R 14 l from where
a line 8 hrs S 37 W
30 links & Aish 18
hrs S 37 E 10 links
3000 as before

North Betwinn R 14 & 15
E 31 N Section 24
15 00 Swamp E & W
30 00 Dry land
40 00 At 1/2 Section post
from where a line
20 hrs S 29 E 6 links &
Maple 12 hrs S 7 W
10 links

80 00 At port corner of Section
13 & 24 S 31 A R 14 l from
where a Maple line
8 hrs S 70 E 7 links &
Aish 10 hrs S 77 W 21
over as before

North River ⁸³ 148/32
F 31 N Section 13

4000 Lt 1/2 section of port
from which a Beech
10 hrs S 28 E 19 links
V Maple 14 hrs
25 E 17 links

5200 Intersect, the channel
River & set post from
which a Lyn 14 hrs
S 73 W 5 links & do
14 hrs S 52 E 8 links

[continued in book
C, page 62.]

191.
237

11

11. 11. 11.

011 011 011 011

700